

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7766	(trac\$3 near3 program\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/30 10:09
L2	2048237	(least ADJ recently ADJ used) OR LRU OR (short ADJ (lived OR term)) OR temp OR temporary OR provisional OR momentary	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/30 10:04
L3	181521	((program\$1 ADJ state\$1) OR data OR datum OR information OR address\$3) near3 program\$1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/30 10:06
L4	2	(L2 near5 L3) SAME L1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/30 10:07
L5	10604	(trac\$3 near5 program\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/30 10:07
L6	5	(L2 near5 L3) SAME L5	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/30 10:10
L8	5169	((trace\$1 OR tracing) WITH program\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/30 10:15
L9	1	(L2 near5 L3) SAME L8	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/30 10:45
L10	10187	((trace\$1 OR tracing) WITH (program\$1 OR instruction\$1 OR software OR code))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/09/30 10:59
L11	1	(L2 near5 L3) SAME L10	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/30 10:47
L12	11	(L2 WITH L3) SAME L10	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/30 10:45
L13	8	(L2 near15 L3) SAME L10	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/30 10:48
L14	3	L12 NOT L13	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/30 10:49
L15	2235	((711/133) or (711/134) or (711/135) or (711/136) or (711/137)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/09/30 10:50
L16	297	(711/125).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/09/30 10:50

L17	611	(711/158).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/09/30 10:50
L18	97	L10 AND (L15 OR L16 OR L17)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/09/30 10:58
L19	16	L10 AND (L15 AND L16)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/09/30 11:00
L20	8699	((trace\$1 OR tracing) near10 (program\$1 OR instruction\$1 OR software OR code))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/09/30 11:00
L21	16	L20 AND (L15 AND L16)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/09/30 11:14
L22	696	L20 near5 L3	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/09/30 11:14
L24	16	L22 AND (L15 OR L16 OR L17)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/09/30 11:14
L25	13	(L22 AND (L15 OR L16 OR L17)) NOT L21	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/09/30 11:32
L26	34	(off ADj chip ADJ cache) AND (L15 OR L16 OR L17)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/09/30 11:47
L27	0	(off ADj chip ADJ cache) AND (L15 AND L16)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/09/30 11:35
S1	9	sun-mingqiu.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 09:50
S2	2229	((711/133) or (711/134) or (711/135) or (711/136) or (711/137)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/09/27 17:01
S3	180951	((program\$1 ADJ state\$1) OR data OR datum OR information OR address\$3) near3 program\$1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/30 10:05
S4	9911	((time\$1 ADJ first ADJ discover\$3) OR timestamp)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 09:27
S5	2026982	((short ADJ lived) OR temp OR temporary OR provisional OR momentary)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 10:19
S6	1	S4 near4 (S3 near4 S5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 09:23

S7	1	S4 near10 (S3 near10 S5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 09:23
S8	1	S4 near10 (S3 WITH S5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 09:24
S9	1	S4 SAME (S3 WITH S5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 09:24
S10	5	S4 SAME (S3 SAME S5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 09:28
S11	20084	((time\$1 ADJ first ADJ discover\$3) OR timestamp\$1 OR timecode\$1 OR (time ADJ code\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 09:32
S12	11	S11 SAME (S3 SAME S5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 09:28
S13	6	(S11 SAME (S3 SAME S5)) NOT S10	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 09:29
S14	297	(711/125).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/09/27 10:10
S15	79	S2 AND S14	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 10:10
S16	37681	((time\$1 ADJ first ADJ discover\$3) OR timestamp\$1 OR timecode\$1 OR (time ADJ (code\$1 OR stamp\$1)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 10:12
S17	4	S15 AND S16	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 10:12
S18	12	("5848433" "6108775" "6115791" "6148378" "6164841" "6167473").PN. OR ("6237065"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/27 10:47
S19	2057093	((short ADJ lived) OR temp OR temporary OR provisional OR momentary OR (most ADJ recent\$2))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 14:43
S20	2839766	(flush\$3 OR replac\$3 OR delet\$3 OR remov\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 10:22
S21	1	S15 AND (S19 near4 S20)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 10:48

S22	3	S15 AND (S19 WITH S20)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 10:45
S23	4	S15 AND (S19 SAME S20)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 10:45
S24	0	S18 AND S16	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/27 10:47
S25	0	S18 AND (S19 near4 S20)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 10:48
S26	173	(S2 OR S14) AND (S16)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 11:23
S27	2	(S2 OR S14) AND (S16 SAME (S19 near5 S20))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 11:27
S28	0	(S2 OR S14) AND (S16 near10 (S19 near5 S20))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 11:27
S29	3	(S2 OR S14) AND (S16 SAME (S19 near15 S20))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 11:28
S30	9	(S2 OR S14) AND (S16 SAME (S19 SAME S20))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 11:29
S31	6	S30 NOT S29	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 11:29
S32	611	(711/158).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/09/27 14:09
S33	2	S2 AND S14 AND S32	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 14:10
S34	2771138	(priorit\$3 OR prioritiz\$3 OR categor\$3 OR catagoriz\$3 OR group\$4 OR level\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 14:16
S35	175290	S34 near5 S20	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 14:18
S36	3	S35 AND (S2 AND S14)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 14:26
S37	284	S35 AND S2	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 14:27

S38	15	S35 SAME S19 AND S2	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 14:46
S39	2026982	((short ADJ lived) OR temp OR temporary OR provisional OR momentary)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 14:44
S40	326218	(short\$3 ADJ (lived OR duration\$1 OR time OR length))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 14:47
S41	0	S35 SAME S40 AND S2	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 14:47
S42	3793215	((short\$3 ADJ lived) OR duration\$1 OR time OR length)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 14:47
S43	78	S35 SAME S42 AND S2	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 15:54
S44	29	(S35 WITH S42) AND S2	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 14:48
S45	49	(S35 SAME S42 AND S2) NOT S44	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 16:53
S46	5	(S35 SAME S42 AND S14) NOT (S44 OR S45)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 16:55
S47	9	(S35 AND S14) NOT (S44 OR S45 OR S46)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 16:59
S48	2451	(timestamp OR (time ADJ stamp)) near5 (recent\$2 or current\$2 ADJ4 (timestamp OR (time ADJ stamp)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 17:00
S49	340	S48 AND S2 OR S14	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 17:00
S50	10	S48 SAME S35	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/27 17:02
S51	37681	(time\$1 ADJ first ADJ discover\$3) OR timestamp\$1 OR timecode\$1 OR (time ADJ (code\$1 OR stamp\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 11:51
S52	4257685	compar\$3 OR higher OR lower OR less OR more	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 14:19
S53	3240281	MRU OR (most ADJ recently ADJ used) OR current\$2 OR recent\$2 OR latest OR present\$2 OR exist\$3 OR active OR activated	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 11:35

S54	2839766	(flush\$3 OR replac\$3 OR delet\$3 OR remov\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 14:27
S55	117	(S52 near4 (S51 near4 S53)) SAME S54	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 14:33
S56	2229	((711/133) or (711/134) or (711/135) or (711/136) or (711/137)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/09/28 10:07
S57	297	(711/125).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/09/28 10:07
S58	611	(711/158).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/09/28 10:07
S59	3	S55 AND (S56 OR S57 OR S58)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 10:42
S60	11	S55 AND (S56 OR S57 OR S58 OR 707/201.ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 10:30
S61	113	(S52 near4 (S51 WITH S53)) SAME S54	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 10:52
S62	269	(S52 WITH (S51 WITH S53)) SAME S54	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 10:37
S63	10	S61 NOT S55	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 10:39
S64	7	(S62 AND (S56 OR S57 OR S58)) NOT S59	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 10:42
S65	246	(S52 near10 (S51 near410 S53)) SAME S54	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 10:51
S66	0	S65 NOT S62	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 10:51
S67	243	(S52 near15 (S51 near15 S53)) SAME S54	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 10:52
S68	0	S67 NOT S62	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 10:53

S69	3240376	MRU OR (most ADJ recently ADJ used) OR current\$2 OR recent\$2 OR latest OR present\$2 OR exist\$3 OR active OR activated OR LRC OR (least ADJ frequently ADJ accessed)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 11:35
S70	0	((S52 near4 (S51 near4 S69)) SAME S54) NOT S55	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 11:37
S71	3184127	threshold\$1 OR border\$1 OR limit\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 16:54
S72	10182	(pre ADJ fetch\$3) OR prefetch\$3 OR (pre ADJ read\$3) OR preread\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 11:51
S73	3366018	(time\$1 ADJ first ADJ discover\$3) OR timestamp\$1 OR timecode\$1 OR (time ADJ (code\$1 OR stamp\$1) OR age OR time)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 16:58
S74	8	(S52 near4 (S73 near4 S71) near4 S72)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 11:57
S75	10	(S52 near4 (S73 near4 S71) WITH S72)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 12:02
S76	13	(S52 near4 (S73 near4 S71) SAME S72)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 12:02
S77	4	(LRC OR least ADJ recently ADJ created) AND (S56 OR S57 OR S58)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 12:11
S78	3	S76 NOT S75	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 12:02
S79	11	(S52 near4 (S73 WITH S71) SAME S72)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 12:15
S80	1270	(LRC OR least ADJ recently ADJ created)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 12:11
S81	1	S79 NOT S76	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 12:13
S82	43	(S52 SAME (S73 near4 S71) SAME S72)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 12:16
S83	30	S82 NOT (S76 OR S74 OR S75 OR S79)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 12:16

S84	4285763	compar\$3 OR higher OR lower OR less OR more OR greater OR exceed\$3 OR surpass\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 14:27
S85	3348389	(flush\$3 OR replac\$3 OR delet\$3 OR remov\$3 OR eras\$3 OR clear\$3 Or substitut\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 14:32
S86	151	(S84 near4 (S51 near4 S53)) SAME S85	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 16:22
S87	3	S86 AND (S56 OR S57 OR S58)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 14:53
S88	0	S87 NOT S59	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 14:52
S89	8	S86 AND ("711"/\$.ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 14:54
S90	138	(S84 near4 (S51 WITH S53)) SAME S85	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 16:21
S91	334	(S84 WITH (S51 WITH S53)) SAME S85	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 16:21
S92	276	(S84 near10 (S51 near10 S53)) SAME S85	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 16:23
S93	7	(S90 AND "711"/\$.ccls.) NOT (S89)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 16:25
S94	18	(S91 AND "711"/\$.ccls.) NOT (S89 OR S93)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 16:25
S95	0	(S92 AND "711"/\$.ccls.) NOT (S89 OR S93 OR S94)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 16:25
S96	3280885	threshold\$1 OR border\$1 OR limit\$3 OR boundary OR bound\$1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 16:57
S97	3471500	(time\$1 ADJ first ADJ discover\$3) OR timestamp\$1 OR timecode\$1 OR (time ADJ (code\$1 OR stamp\$1) OR age OR time OR (life ADJ (span OR cycle)) OR duration OR span OR period)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/28 17:10
S98	3286447	threshold\$1 OR border\$1 OR limit\$3 OR boundary OR bound\$1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/29 08:42

S99	3476930	(time\$1 ADJ first ADJ discover\$3) OR timestamp\$1 OR timecode\$1 OR (time ADJ (code\$1 OR stamp\$1) OR age OR time OR (life ADJ (span OR cycle)) OR duration OR span OR period)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/29 08:42
S10 0	10205	(pre ADJ fetch\$3) OR prefetch\$3 OR (pre ADJ read\$3) OR preread\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/29 08:48
S10 1	4292143	compar\$3 OR higher OR lower OR less OR more OR greater OR exceed\$3 OR surpass\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/29 08:50
S10 2	7	((S101 near4 S99) near4 S98) near4 S100	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/29 16:28
S10 3	9	((S98 near4 S99) near4 S101) near4 S100	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/29 16:29
S10 5	2	S103 NOT S102	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/29 10:17
S10 6	3286447	threshold\$1 OR border\$1 OR limit\$3 OR boundary OR bound\$1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/29 16:28
S10 7	3476930	(time\$1 ADJ first ADJ discover\$3) OR timestamp\$1 OR timecode\$1 OR (time ADJ (code\$1 OR stamp\$1) OR age OR time OR (life ADJ (span OR cycle)) OR duration OR span OR period)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/29 16:28
S10 8	10205	(pre ADJ fetch\$3) OR prefetch\$3 OR (pre ADJ read\$3) OR preread\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/29 16:28
S10 9	4292143	compar\$3 OR higher OR lower OR less OR more OR greater OR exceed\$3 OR surpass\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/29 16:28
S11 1	9	((((S106 near4 S107) near4 S109) near4 S108) OR (((S109 near4 S107) near4 S106) near4 S108))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/29 16:34
S11 2	17	(((((S106 near4 S107) near4 S109) SAME S108) OR (((S109 near4 S107) near4 S106) SAME S108))) NOT (S111)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/29 17:38
S11 3	3	(((((S106 WITH S107) near4 S109) SAME S108) OR (((S109 WITH S107) near4 S106) SAME S108))) NOT (S111 OR S112)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/29 17:35

S11 4	44	(((S106 WITH S107) WITH S109) SAME S108) OR (((S109 WITH S107) WITH S106) SAME S108)) NOT (S111 OR S112 OR S113)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/29 17:37
S11 5	13	S114 AND "711"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/29 17:38
S11 6	21	(((S106 near10 S107) near10 S109) SAME S108) OR (((S109 near10 S107) near10 S106) SAME S108)) NOT (S111 OR S112 OR S113 OR S115)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/09/30 10:01